



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Topological Control on Glass Relaxation

Li, X.; Hu, Y; Smedskjær, Morten Mattrup; Mauro, John C.; Bauchy, Mathieu

Publication date:
2019

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Li, X., Hu, Y., Smedskjær, M. M., Mauro, J. C., & Bauchy, M. (2019). *Topological Control on Glass Relaxation*. Abstract from 25th International Congress on Glass, Boston, Massachusetts, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Topological Control on Glass Relaxation

X. Li¹ ; Y. Hu¹ ; M. M. Smedskjaer² ; J. C. Mauro³ ; M. Bauchy^{*1}

1. University of California, Los Angeles, Civil and Environmental Engineering Department, USA 2. Aalborg University, Denmark 3. Pennsylvania State University, USA

Understanding, predicting, and controlling glass relaxation is of primary importance for the manufacturing of substrate glasses used in display applications, as any small variation in volume can result in undesirable pixel misalignment. However, no clear atomistic mechanism of structural and stress relaxation is available to date, which limits our ability to identify optimal glass compositions featuring low relaxation. Here, based on molecular dynamics simulations, we study the relaxation of a series of alkali-free calcium aluminosilicate (CAS) and sodium silicate (NS) glasses with varying compositions. We observe that select glass compositions exhibit minimal relaxation. We investigate the structural origin of this behavior by means of topological constraint theory. Based on this analysis, we demonstrate that minimal relaxation is achieved for isostatic glasses, which are both free of eigenstress and floppy modes. This highlights the crucial role of the atomic topology in controlling the propensity for relaxation.